m/035/012



Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) 801-538-5319 (TDD)

February 15, 1996

Salt Lake Tribune Legal Advertising P. O. Box 867 Salt Lake City, Utah 84110

Gentlemen:

Re: NOTICE OF TENTATIVE APPROVAL - M/035/012

Attached is a Notice of Tentative Approval from the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY as soon as possible, but no later than the <u>20th day of February</u>, <u>1996</u>. In the event that said notice cannot be published by this date, please notify me immediately by calling 538-5340.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Sincerely,

Julle Burns

Joelle Burns

Minerals Secretary

jb Attachment M035012.new



### BEFORE THE DIVISION OF OIL, GAS AND MINING DEPARTMENT OF NATURAL RESOURCES STATE OF UTAH

---ooOoo---

IN THE MATTER OF TENTATIVE
DECISION TO APPROVE REVISION
TO AN EXISTING MINING AND
RECLAMATION PLAN FOR
HARPER CONTRACTING, INC.
SALT LAKE COUNTY, UTAH

NOTICE OF TENTATIVE DECISION TO APPROVE NO. M/035/012

---00000---

THE STATE OF UTAH TO ALL OPERATORS, TAKERS OF PRODUCTION, MINERAL AND ROYALTY OWNERS, AND PARTICULARLY ALL PERSONS INTERESTED IN SECTIONS 18 AND 19, TOWNSHIP 1 SOUTH, RANGE 2 EAST, SLBM, SALT LAKE COUNTY, UTAH.

Notice is hereby given by the Division of Oil, Gas and Mining of its tentative decision to approve Harper Contracting, Incorporated's (Harper's) Mining and Reclamation Plan for the Parley's Canyon Quarry. Mining activities will affect approximately 21.9 acres of private, State and USFS lands within the following area: SW 1/4 Section 18 and NW 1/4 Section 19, Township 1 South, Range 2 East, SLBM, Salt Lake County, Utah.

The operator will employ the following mining and reclamation techniques on the disturbed areas associated with this project.

#### **During Operations**

Quarrying will be performed using conventional open pit surface mining techniques of drilling and blasting. Blastholes will be created using airtrack drills. Blasting will be performed using ANFO. Blasted material will be dozed to the southwest edge of the active quarry where it will run downslope to the old quarry floor. The material is loaded into trucks using a front end loader, or it is transferred to a crushing/screening plant for further processing. Final products will be transported off site using trucks. The outer lip of a ridge line will act as a visual buffer for the quarry area. All new access roads to be constructed will be located on private lands. Existing USFS roads will also be used for access.

#### **Following Operations**

All trash, oil, fuel, equipment, debris and structures will be removed from the site. All remaining stockpiles of loose material will be graded down to slopes of 3H:1V or less. Any trenches will be backfilled to eliminate safety hazards. Highwalls will be left, as is, with a three-foot high safety berm in place at the outer edge of the bench. The overall slope angle of the remaining quarry face will be 45° or less. Quarry benches will receive revegetation treatments. There will be no ponds or other impounding structures remaining after operations. Roads to be reclaimed will be regraded to eliminate the inner roadside ditches and water bars will be constructed to convey runoff across the road surface. Reclaimed roads and the processing area will be scarified to increase infiltration of water and enhance revegetation potential. The ripped and scarified areas will be treated with fertilizer and broadcast seeded. Mulching will be accomplished by adding clean alfalfa hay or manure. Vehicle access to these reclaimed areas will be restricted by six foot high berms.

The person representing the company is Mr. Lawnie Mayhew, P.O. Box 18400, Kearns, Utah 84118; Phone (801) 250-0132. Harper is fulfilling obligations under the Utah Mined Land Reclamation Act of 1975, Utah Code Ann. §40-8-18.

Any person or agency aggrieved by this tentative decision to issue approval is hereby requested to submit written protest within thirty (30) days of the date of publication to Lowell Braxton, Associate Director of Mining, Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203, setting forth factual reasons for the complaint. If no responsive written protests are received by the Division within 30 days after the last date of publication, the tentative decision of the Division will be final.

DATED THIS 14th day of February, 1996.

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

James W. Carter Der

Director



# State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) 801-538-5319 (TDD)

## FACSIMILE COVER SHEET

NUMBER	OF PAGES IN	NCLUDING THIS COVER SH	EET:	
TO:	Salt	- Lake Trilune		
		l advertising		
		Box 867		
	St	°C Ut 84110		
FAX NUM		37-2520		
FROM:	Ju	eble Burus		
	Minerals Re	eclamation and Development Pro	gram	
PHONE:	(801) 538-53			
FAX:	(801) 359-39			
SURIECT.	1 1 wto	tine Cleansion - 5	latin mala	25/012
SCHOLCI.	- Conca	me waster - 1	will - mil	00/0/2
	. /			
REMARKS	s: Hara	Capy will be	put in toda	eys Mail
REMARKS	S: Hard	Capy will be	put in toda	kys Mail
REMARKS	S: Haw	Copy will be	gut in toda	Peys Mail
REMARKS	S: Hard	Capy will be	put in tode	Peys Mail
		*********		
				**************************************
		*********	************	**************************************
*******		*********	************	**************************************
************* SEND(M)	RECEIVER	**************************************	**************************************	**************************************